Author Index

Abraham, F., see Haken, J. K. 550(1991)155
Adams, A. K., see Binder, S. R. 550(1991)449
Agathonos, P., see Koliadima, A. 550(1991)171
Agathonos, P., see Stolyarov, B. V. 550(1991)181
Allen, J., see Philp, R. P. 550(1991)193
Alvarez-Zepeda, A. and Martire, D. E. Reversed-phase liquid chromatographic study of excess and absolute sorption isotherms of acetonitrile–water mixtures 550(1991)285
Antia, F. D. and Horváth, C. Dependence of retention on the organic modifier concentration and multicomponent adsorption behavior in reversed-phase chromatography 550(1991)411
Baba, Y. and Kura, G. Computer-assisted retention prediction system for inorganic cyclic polyphosphates and its application to optimization of gradients in anion-exchange chromatography 550(1991)5
Babják, M., see Gazdag, M. 550(1991)639
Banghman, S., see Van den Berg, G. A. 550(1991)239
Bartha, Á., see Schoenmakers, P. J. 550(1991)425
Benak, H., see Coenegracht, P. M. J. 550(1991)397
Berthod, A. Practical approach to high-speed counter-current chromatography 550(1991)677
Billiet, H. A. H., see Schoenmakers, P. J. 550(1991)425
Binder, S. R., Adams, A. K., Regalia, M., Essien, H. and Rosenblum, R. Standardization of a multi-wavelength UV detector for liquid chromatography-based toxicological analysis 550(1991)449
Blaffert, T., see Mulholland, M. 550(1991)257
Blomberg, L. G., see Demirbüker, M. 550(1991)765
Brinkman, U. A. T., see Kientz, C. E. 550(1991)461
Brown, P. R., see Jang, N.-I. 550(1991)507
Bruins, C. H. P., see Coenegracht, P. M. J. 550(1991)397
Burr, C. M., see Smith, R. M. 550(1991)335
Buydens, L., see Mulholland, M. 550(1991)257
Carr, P. W., see Li, J. 550(1991)101
Caude, M., Tambuté, A. and Siret, L. Chiral stationary phases derived from tyrosine (Review) 550(1991)357
Christ, B., see Molnar, I. 550(1991)39
Churms, S. C. and Stephen, A. M. Chromatographic separation and examination of carbohydrate and phenolic components of the non-tannin fraction of black wattle (*Acacia mearnsii*) bark extract 550(1991)519
Coenegracht, P. M. J., Smilde, A. K., Benak, H., Bruins, C. H. P., Metting, H. J., De Vries, H. and Doornbos, D. A. Multivariate characterization of solvent strength and solvent selectivity in reversed-phase high-performance liquid chromatography 550(1991)397
Cserháti, T., see Valkó, K. 550(1991)667
Czok, M., Katti, A. M. and Guiochon, G. Effect of sample viscosity in high-performance size-exclusion chromatography and its control 550(1991)705
Dallas, A. J., see Li, J. 550(1991)101
Davis, J. M., see Oros, F. J. 550(1991)135
Dawkins, J. V., Forrest, M. J. and Shepherd, M. J. Multi-step procedure for the separation of vinyl chloride oligomers 550(1991)539
De Jong, G. J., see Kientz, C. E. 550(1991)461
Deming, S. N. Multiple-criteria optimization 550(1991)15
Demirbüker, M. and Blomberg, L. G. Separation of triacylglycerols by supercritical-fluid argentation chromatography 550(1991)765
De Vries, H., see Coenegracht, P. M. J. 550(1991)397
De Zeeuw, R. A., see Van den Berg, G. A. 550(1991)239
Djordjevic, N. M., Erni, F., Schreiber, B., Lankmayr, E. P., Wegscheider, W. and Jaufmann, L. Fully automatic high-performance liquid chromatographic optimization 550(1991)27
Doornbos, D. A., see Coenegracht, P. M. J. 550(1991)397
Dzido, T. H., Soczewiński, E. and Gudej, J. Computer-aided optimization of high-performance liquid chromatographic analysis of flavonoids from some species of the genus *Althaea* 550(1991)71
Erni, F., see Djordjevic, N. M. 550(1991)27
Essien, H., see Binder, S. R. 550(1991)449
Ewels, B. A., see Ryan, P. A. 550(1991)549

Fagan, P. A. and Haddad, P. R.
Determination of free cyanide in gold cyanidation process liquors by ion-interaction chromatography with post-column derivatization 550(1991)559
Forgács, E., see Valkó, K. 550(1991)667
Forrest, M. J., see Dawkins, J. V. 550(1991)539
Galvez-Sinibaldi, A., see Philp, R. P. 550(1991)193
Gami-Yilinkou, R. and Kaliszan, R.
Chromatographic data for pharmacological classification of imidazol(in)e drugs 550(1991)573
Gazdag, M., Babják, M., Kemenes-Bakos, P. and Görög, S.
Analysis of steroids. XLI. Ion-pair high-performance liquid chromatographic separation of quaternary ammonium steroids on silica 550(1991)639
Giddings, J. C., see Williams, P. S. 550(1991)787
Glajch, J. L., see Ryan, P. A. 550(1991)549
Glöckner, G. and Van den Berg, J. H. M.
Separation of copolymers according to composition with special emphasis on the effect of block structure 550(1991)629
Gober, K. H., see Molnar, I. 550(1991)39
Görög, S., see Gazdag, M. 550(1991)639
Grushka, E., see Jang, N.-I. 550(1991)507
Gudej, J., see Dzido, T. H. 550(1991)71
Guiochon, G., see Czok, M. 550(1991)705
Guo, R. and Lim, C. K.
Determination of hydroxy and peroxy acid derivatives of uroporphyrin in the plasma of patients with congential erythropoietic porphyria by high-performance liquid chromatography 550(1991)603
Haas, III, J. W. and Uden, P. C.
Chemical class separation of coal liquids by high-performance liquid chromatography on a semi-preparative, phosphoric acid-modified amino-bonded-phase column 550(1991)609
Haddad, P. R., see Fagan, P. A. 550(1991)559
Haken, J. K. and Abraham, F.
Gas chromatography of homologous esters. XXXIV. Alkyl borate and boronate esters 550(1991)155
Hanai, T.
Structure–retention correlation in liquid chromatography (Review) 550(1991)313
Hansen, P., see Porath, J. 550(1991)751
Hearn, M. T. W., see Wirth, H. J. 550(1990)383
Hindriks, H., see Mulholland, M. 550(1991)257
Hjertén, S. and Kiessling-Johansson, M.
High-performance displacement electrophoresis in 0.025- to 0.050-mm capillaries coated with a polymer to suppress adsorption and electroendosmosis 550(1991)811
Horváth, C., see Antia, F. D. 550(1991)411
Hsu, C. L. and Walters, R. R.
Chiral separation of ibutilide enantiomers by derivatization with 1-naphthyl isocyanate and high-performance liquid chromatography on a Pirkle column 550(1991)621
Ito, Y., see Shibusawa, Y. 550(1991)695
Jandera, P. and Prokeš, B.
Possibilities of enhancing the sensitivity of the determination of UV-absorbing compounds in high-performance liquid chromatography 550(1991)495
Jang, N.-I., Brown, P. R. and Grushka, E.
Chromatographic characterization of some dideoxyribonucleosides 550(1991)507
Jaufmann, L., see Djordjevic, N. M. 550(1991)27
Jinno, K. and Yokoyama, Y.
Retention prediction for polymer additives in reversed-phase liquid chromatography 550(1991)325
Kaliszan, R., see Gami-Yilinkou, R. 550(1991)573
Kapolos, J., see Stolyarov, B. V. 550(1991)181
Karaiskakis, G., see Koliadima, A. 550(1991)171
Karol, P. J.
Equilibrium elution chromatography. The column-origin boundary condition 550(1991)247
Katsanos, N. A., see Stolyarov, B. V. 550(1991)181
Katti, A. M., see Czok, M. 550(1991)705
Kemenes-Bakos, P., see Gazdag, M. 550(1991)639
Kientz, C. E., De Jong, G. J. and Brinkman, U. A. T.
Gas chromatographic detectors for use in column liquid chromatography (Review) 550(1991)461
Kiessling-Johansson, M., see Hjertén, S. 550(1991)811
Kirkland, J. J. and Yau, W. W.
Quantitative particle-size distributions by sedimentation field-flow fractionation with densimeter detector 550(1991)799
Kissinger, P. T., see Mazzeo, J. R. 550(1990)585
Koliadima, A., Agathonos, P. and Karaiskakis, G.
Gas chromatographic study of interaction between vinyl chloride and poly(vinyl chloride) 550(1991)171
Kollie, T. O. and Poole, C. F.
Application of multivariate analysis to the selection of test solutes for characterizing stationary phase selectivity in gas chromatography 550(1990)213
Kraak, J. C., see Stegeman, G. 550(1991)721

Krull, I. S., see Mazzeo, J. R. 550(1990)585
Kura, G., see Baba, Y. 550(1991)5
Lankmayr, E. P., see Djordjevic, N. M. 550(1991)27
Lawrence, J. F. and Ménard, C.
Confirmation of domoic acid in shellfish using butyl isothiocyanate and reversed-phase liquid chromatography 550(1991)595
Le Roux, M., see Burger, B. V. 552(1991)137
Li, J., Zhang, Y., Dallas, A. J. and Carr, P. W.
Measurement of solute dipolarity/polarizability and hydrogen bond acidity by inverse gas chromatography 550(1991)101
Lim, C. K., see Guo, R. 550(1991)603
Lisi, D. D., see Stuart, J. D. 550(1991)77
Maris, F., see Mulholland, M. 550(1991)257
Martin, M., see Thévenon-Emeric, G. 550(1991)267
Martire, D. E., see Alvarez-Zepeda, A. 550(1991)285
Mazzeo, J. R., Krull, I. S. and Kissinger, P. T.
Use of Ce(IV) oxidizing agent for the derivatization of polycyclic aromatic hydrocarbons for liquid chromatography–electrochemical detection 550(1990)585
Ménard, C., see Lawrence, J. F. 550(1991)595
Metting, H. J., see Coenegracht, P. M. J. 550(1991)397
Miller, N. T.
Stationary phase effects in reversed-phase liquid chromatography under overload conditions 550(1991)301
Molnar, I., Gober, K. H. and Christ, B.
Fast development of a robust high-performance liquid chromatographic method for *Ginkgo biloba* based on computer simulation 550(1991)39
Mulholland, M., Walker, N., Maris, F., Hindriks, H., Buydens, L., Blaffert, T. and Schoenmakers, P. J.
Expert system for repeatability testing of high-performance liquid chromatographic methods 550(1991)257
Munro, Z. M., see Burger, B. V. 552(1991)137
Muskiet, F. A. J., see Van den Berg, G. A. 550(1991)239
Nagel, G. T., see Van den Berg, G. A. 550(1991)239
Oros, F. J. and Davis, J. M.
Effect of stationary phase on predictions of the statistical model of overlap from gas chromatograms 550(1991)135
Ościk-Mendyk, B.
Mechanism of liquid adsorption chromatography in thin-layer chromatography with ternary mobile phases 550(1991)645
Oung, J.-N., see Philp, R. P. 550(1991)193
Phillips, T. M.
Isolation of an interleukin 2-binding receptor from activated lymphocytes by high-performance immunoaffinity chromatography 550(1991)741
Philp, R. P., Oung, J.-N., Galvez-Sinibaldi, A. and Allen, J.
Tandem mass spectrometry —an additional dimension of chromatography for the determination of biomarkers in fossil fuels (Review) 550(1991)193
Poole, C. F., see Kollie, T. O. 550(1990)213
Poppe, H., see Stegeman, G. 550(1991)721
Porath, J. and Hansen, P.
Cascade-mode multiaffinity chromatography. Fractionation of human serum proteins 550(1991)751
Prokeš, B., see Jandera, P. 550(1991)495
Regalia, M., see Binder, S. R. 550(1991)449
Rosenblum, R., see Binder, S. R. 550(1991)449
Ryan, P. A., Ewels, B. A. and Glajch, J. L.
Separation and detection of oxidation products in Neurolite raw material 550(1991)549
Schoenmakers, P. J., Bartha, Á. and Billiet, H. A. H.
Gradient elution methods for predicting isocratic conditions (Review) 550(1991)425
Schoenmakers, P. J., see Mulholland, M. 550(1991)257
Schreiber, B., see Djordjevic, N. M. 550(1991)27
Schure, M. R.
Resolution enhancement of chromatographic data. Considerations in achieving super-resolution with the constrained iterative relaxation method 550(1991)51
Shepherd, M. J., see Dawkins, J. V. 550(1991)539
Shibusawa, Y. and Ito, Y.
Protein separation with aqueous–aqueous polymer systems by two types of counter-current chromatographs 550(1991)695
Siouffi, A. M. and Volpe, N.
Computer-assisted sample clean-up in liquid chromatography from thin-layer chromatographic data 550(1991)657
Siret, L., see Caude, M. 550(1991)357
Smilde, A. K., see Coenegracht, P. M. J. 550(1991)397
Smith, R. D., see Yonker, C. R. 550(1991)775
Smith, R. M. and Burr, C. M.
Retention prediction of analytes in reversed-phase high-performance liquid chromatography based on molecular structure. VI. Disubstituted aromatic compounds 550(1991)335

Soczewiński, E., see Dzido, T. H. 550(1991)71
Stegeman, G., Kraak, J. C. and Poppe, H.
Hydrodynamic and size-exclusion chromatography of polymers on porous particles 550(1991)721
Stephen, A. M., see Churms, S. C. 550(1991)519
Stolyarov, B. V., Katsanos, N. A., Agathonos, P. and Kapolos, J.
Homogeneous catalysis studied by reversed-flow gas chromatography 550(1991)181
Stuart, J. D. and Lisi, D. D.
Computer simulation of isocratic retentions of alkylketones using gradient data 550(1991)77
Szepesi, G. and Valkó, K.
Prediction of initial high-performance liquid chromatographic conditions for selectivity optimization in pharmaceutical analysis by an expert system approach 550(1991)87
Tambuté, A., see Caude, M. 550(1991)357
Taylor, J. A. and Yeung, E. S.
Axial-beam absorbance detection for capillary electrophoresis 550(1991)831
Tchapla, A., see Thévenon-Emeric, G. 550(1991)267
Thévenon-Emeric, G., Tchapla, A. and Martin, M.
Role of π-π interactions in reversed-phase liquid chromatography 550(1991)267
Tsuji, K.
High-performance capillary electrophoresis of proteins. Sodium dodecyl sulphate–polyacrylamide gel-filled capillary column for the determination of recombinant biotechnology-derived proteins 550(1991)823
Uden, P. C., see Haas, III, J. W. 550(1991)609
Unger, K. K., see Wirth, H. J. 550(1990)383
Valkó, K., Cserháti, T. and Forgács, E.
Comparative investigation of the retention behaviour of nucleoside derivatives on alumina stationary phases in thin-layer chromatography and high-performance liquid chromatography 550(1991)667
Valkó, K., see Szepesi, G. 550(1991)87
Van den Berg, G. A., Wolthers, B. G., Nagel, G. T., Muskiet, F. A. J., Banghman, S. and De Zeeuw, R. A.
Diurnal changes in plasma levels of 2-pyrrolidinone determined by isotope dilution mass spectrometry 550(1991)239
Van den Berg, J. H. M., see Glöckner, G. 550(1991)629
Volpe, N., see Siouffi, A. M. 550(1991)657
Walker, N., see Mulholland, M. 550(1991)257
Walters, R. R., see Hsu, C. L. 550(1991)621
Wegscheider, W., see Djordjevic, N. M. 550(1991)27
Wilken, M. E., see Burger, B. V. 552(1991)137
Williams, P. S. and Giddings, J. C.
Comparison of power and exponential field programming in field-flow fractionation 550(1991)787
Wirth, H. J., Unger, K. K. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CIX. Investigations on the relation between the ligand density of Cibacron Blue immobilized porous and non-porous sorbents and protein-binding capacities and association constants 550(1990)383
Wolthers, B. G., see Van den Berg, G. A. 550(1991)239
Yau, W. W., see Kirkland, J. J. 550(1991)799
Yeung, E. S., see Taylor, J. A. 550(1991)831
Yokoyama, Y., see Jinno, K. 550(1991)325
Yonker, C. R. and Smith, R. D.
Sorption isotherms in supercritical fluid chromatography (Review) 550(1991)775
Zhang, Y., see Li, J. 550(1991)101